MULTILAYER CERAMIC CHIP CAPACITORS CHEMI-CON

TSSeries / NTFSeries Temperature cycle : 1000 cycles (General product)


♦FEATURES

- 1. Large capacitance by small size.
- 2. X7R and X7S temperature characteristics.
- 3. High permissible ripple current capability.
- 4. NTF: Temperature cycle : 1000 cycles.

APPLICATIONS

- 1. Smoothing circuit of DC-DC converters.
- 2. On-board power supplies.
- 3. Voltage regulators for computers.
- 3. Noise suppressor for various kinds of equipments.
- 4. High reliability equipments.

♦CONSTRUCTION



RATINGS

1. Category Temperature Range	-55 to +125℃
2. Rated Voltage Range	25, 35, 50, 100, 250, 500Vdc
3. Rated Capacitance Range	0.010 to 47µF
4. Rated Capacitance Tolerance	M (±20%), K (±10%)
5. Temperature Characteristics	X7R
6. Rated Ripple Current	See No.5 on the following table

♦SPECIFICATIONS

No.	Items	Specification	Test Condition				
1	Withstand Voltage	No abnormality.	Rated voltage Less than 250V More than 250V Less than 500V More than 500V		Withstand voltage 250% of rated voltage 100V + 150% of rated voltage 130% of rated voltage		
2	Insulation Resistance	100/CR(MΩ) or 4000(MΩ) whichever is less.		oplied for 5 seconds. e shall be applied for 60±5 seconds at 25±2°C.			
3	Rated Capacitance	Within specified tolerance.	Temperature	CR≦10µF CR>10µF 25±2°C			
4	Dissipation Factor	X7R temperature characteristics of 5.0% or less X7S temperature characteristics of 7.5% or less	Frequency Voltage	1±0.1kHz 1±0.2Vrm	120±12Hz s 0.5±0.2Vrms		
5	Rated Ripple Current	See STANDARD RATINGS	10kHz~1MHz (sine curve) Ripple voltage Vp shall be less than the rated voltage.				

As customer requirement, Chemi-Con has submits the test results according to AEC-Q200 for Multilayer ceramic capacitors. Please contact us for more information.



NTS_{Series} / NTF_{Series}

\$SPECIFICATIONS

	ECIFICATIONS					
No.	Items	Specification	Test Condition			
6	Adhesion	No visible damage.	Substrate 5N (0.51kgf) for 10±1 seconds Capacitor			
7	Bend strength of the face plating	Appearance : No visible damage. ΔC/C : ±15%	The substrate shall be bend at a rate of 1mm/s for 5 seconds. Press Press bar Capacitor Substrate Bending capability *Bending capability NTS : 1mm NTF : 1mm or 2mm			
8	Solderability	Min. 75% of surface of the termination shall be covered with new solder	SolderPb FreeSolder Temperature245±5℃Dipping Time2±0.5sec.			
9	Resistance to Soldering Heat	Appearance : No visible damage. $\Delta C/C : \pm 15\%$ D.F. : To meet the initial specification. I.R. : To meet the initial specification.	$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$			
10	Temperature Cycle	Appearance : No visible damage. $\Delta C/C : \pm 15\%$ D.F. : To meet the initial specification. I.R. : To meet the initial specification.	StepTemperature (°C)(min.)1Min. Category temperature ±330±32Room temperature3 max.3Max. Category temperature ±330±34Room temperature3 max.For above temperature cycle.NTS : For 5 cyclesNTF : For 1000 cycles			
11	Humidity Load Life	Appearance : No abnormality. $\Delta C/C : \pm 15\%$ I.R. : 25/CR(M Ω) or 1000(M Ω) whichever is less. Dissipation Factor X7R temperature characteristics D.F: 10% or less X7S temperature characteristics D.F: 15% or less	Temperature : 40±2°C Humidity : 90 to 95%RH Voltage : Rated voltage Time : 500± ²⁴ ₀ hours			
12	Endurance	Appearance : No abnormality. $\Delta C/C : \pm 15\%$ I.R. : 50/CR(M Ω) or 1000(M Ω) whichever is less. Dissipation Factor X7R temperature characteristics D.F: 10% or less X7S temperature characteristics D.F: 15% or less	Temperature : 125±3℃ Voltage : Rated voltage Time : 1000± ⁴⁸ ₀ hours			

*CR : Rated Capacitance(µF)

MULTILAYER CERAMIC CHIP CAPACITORS CHEMI-CON

NTFSeries

♦STANDARD RATINGS

Rated voltage (Vdc)	Rated Capacitance (µF)	Electrostatic Capacitance Temperature Characteristics	Case Code	Dimensions(mm)				Maximum ripple	Dort Number	Taping
			inch / mm	L	w	T max.	а	current (Arms)	Part Number	Quantity per reel (pcs. / reel)
	1.0	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF250B105 31NLT00	3,000
	1.5	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF250B155 31NLT00	3,000
	2.2	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF250B225 31NLT00	3,000
	3.3	X7S	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF250S335 31NLT00	2,000
	3.3	X7R	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF250B335 32NHT00	1,600
	4.7	X7R	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF250B475□32NHT00	1,600
25	6.8	X7R	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF250B685□32NHT00	1,600
	10	X7S	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF250S106□32NHT00	1,600
	10	X7R	1812 / 4532	4.5±0.4	3.2±0.4	2.8	0.7±0.2	1.0	KTF250B106□43NHT00	800
	15	X7R	1812 / 4532	4.5±0.4	3.2±0.4	2.8	0.7±0.2	1.0	KTF250B156 43NHT00	800
	22	X7S	1812 / 4532	4.5±0.4	3.2±0.4	2.8	0.7±0.2	1.0	KTF250S226 43NHT00	800
	22	X7R	2220 / 5750	5.7±0.4	5.0±0.4	2.8	1.0±0.4	2.0	KTF250B226 55NHT00	800
	33	X7R	2220 / 5750	5.7±0.4	5.0±0.4	3.0	1.0±0.4	2.0	KTF250B336 55NHT00	800
	1.0	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF350B105 31NLT00	3,000
	1.5	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF350B155 31NLT00	3,000
	2.2	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF350B225 31NLT00	3,000
	3.3	X7R	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF350B335□32NHT00	1,600
35	4.7	X7R	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF350B475□32NHT00	1,600
	6.8	X7R	1812 / 4532	4.5±0.4	3.2±0.4	2.8	0.7±0.2	1.0	KTF350B685 43NHT00	800
	10	X7R	1812 / 4532	4.5±0.4	3.2±0.4	2.8	0.7±0.2	1.0	KTF350B106□43NHT00	800
	15	X7R	2220 / 5750	5.7±0.4	5.0±0.4	2.8	1.0±0.4	2.0	KTF350B156 55NHT00	800
	22	X7R	2220 / 5750	5.7±0.4	5.0±0.4	2.8	1.0±0.4	2.0	KTF350B226 55NHT00	800
	0.33	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF500B334 31NLT00	3,000
	0.47	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF500B474 31NLT00	3,000
	0.68	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF500B684 31NLT00	3,000
	1.0	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF500B105 31NLT00	3,000
	1.5	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF500B155 31NLT00	2,000
	2.2	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF500B225 31NLT00	2,000
	1.5	X7R	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF500B155 32NHT00	1,600
50	2.2	X7R	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF500B225 32NHT00	1,600
	3.3	X7R	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF500B335 32NHT00	1,600
	4.7	X7R	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF500B475 32NHT00	1,600
	4.7	X7R	1812 / 4532	4.5±0.4	3.2±0.4	2.8	0.7±0.2	1.0	KTF500B475 43NHT00	800
	6.8	X7R	1812 / 4532	4.5±0.4	3.2±0.4	2.8	0.7±0.2	1.0	KTF500B685 43NHT00	800
	10 10	X7R X7R	1812 / 4532 2220 / 5750	4.5±0.4 5.7±0.4	3.2±0.4 5.0±0.4	2.8 2.8	0.7±0.2 1.0±0.4	1.0 2.0	KTF500B106 43NHT00 KTF500B106 55NHT00	800 800
	15	X7R X7R	2220 / 5750	5.7±0.4	5.0±0.4	2.8	1.0±0.4	2.0	KTF500B156 55NHT00	800
	0.1	X7R X7R	1206 / 3216	3.2±0.2	5.0±0.4 1.6±0.2	1.8	0.7±0.2	0.3	KTF101B104 31NLT00	3,000
	0.15	X7R X7R	1206 / 3216	3.2±0.2 3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF101B154 31NLT00	3,000
	0.15	X7R X7R	1206 / 3216	3.2±0.2 3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF101B134_31NLT00	3,000
	0.22	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF101B334 31NLT00	3,000
	0.33	X7R	1206 / 3216	3.2±0.2 3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF101B474 31NLT00	3,000
	0.68	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF101B684 31NLT00	3,000
	1.0	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF101B105 31NLT00	2,000
	1.5	X7R X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF101B155 31NLT00	2,000
	2.2	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF101B225 31NLT00	2,000
	1.0	X7R	1210 / 3225	3.2±0.2 3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF101B105 32NHT00	1,600
	1.5	X7R X7R	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF101B155 32NHT00	1,600
100	2.2	X7R	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF101B225 32NHT00	1,600
	3.3	X7R	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF101B335□32NHT00	1,600
	4.7	X7R	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF101B475 32NHT00	1,600
	1.5	X7R X7R	1812 / 4532	4.5±0.4	3.2±0.3	2.8	0.7±0.2	1.0	KTF101B155 43NHT00	800
	2.2	X7R	1812 / 4532	4.5±0.4	3.2±0.4	2.8	0.7±0.2	1.0	KTF101B225 43NHT00	800
	3.3	X7R	1812 / 4532	4.5±0.4	3.2±0.4	2.8	0.7±0.2	1.0	KTF101B335 43JHT00	800
	4.7	X7R	1812 / 4532	4.5±0.4	3.2±0.5	3.2	0.7±0.2	1.0	KTF101B475 43EHT00	800
	6.8	X7R	1812 / 4532	4.5±0.4	3.2±0.3	2.8	0.7±0.2	1.0	KTF101B685 43NHT00	800
	4.7	X7R X7R	2220 / 5750	4.3±0.4 5.7±0.4	5.0±0.4	2.8	1.0±0.4	2.0	KTF101B475 55NHT00	800
	6.8	X7R X7R	2220 / 5750	5.7±0.4	5.0±0.4	3.2	1.0±0.4	2.0	KTF101B685 55FHT00	800
	10	X7R X7R	2220 / 5750	5.7±0.4	5.0±0.4	2.8	1.0±0.4	2.0	KTF101B106 55NHT00	800
				0.7 ±0.4	0.010.7	2.0	1.010.7	2.0		500

MULTILAYER CERAMIC CHIP CAPACITORS CHEMI-CON


NTF_{Series}


♦STANDARD RATINGS

Rated	Rated Capacitance (µF)	Electrostatic Capacitance Temperature Characteristics	Case Code		Dimensi	ons(mm)		Maximum ripple current (Arms)	Part Number	Taping Quantity per reel (pcs. / reel)
voltage (Vdc)			inch / mm	L	w	T max.	а			
	0.033	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF251B333 31NLT00	3,000
	0.047	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF251B473 31NLT00	3,000
	0.068	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF251B683 31NLT00	3,000
	0.1	X7R	1206 / 3216	3.2±0.2	1.6±0.2	1.8	0.7±0.2	0.3	KTF251B104 31NLT00	3,000
	0.15	X7R	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF251B154 32NLT00	1,600
250	0.22	X7R	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF251B224 32NLT00	1,600
	0.33	X7R	1210 / 3225	3.2±0.4	2.5±0.3	2.6	0.7±0.2	0.5	KTF251B334 32NLT00	1,600
	0.47	X7R	1812 / 4532	4.5±0.4	3.2±0.4	2.8	0.7±0.2	1.0	KTF251B474 43NLT00	800
	0.68	X7R	1812 / 4532	4.5±0.4	3.2±0.4	2.8	0.7±0.2	1.0	KTF251B684 43NLT00	800
	1.0	X7R	2220 / 5750	5.7±0.4	5.0±0.4	2.8	1.0±0.4	2.0	KTF251B105 55NLT00	800
	1.5	X7R	2220 / 5750	5.7±0.4	5.0±0.4	2.8	1.0±0.4	2.0	KTF251B155 55NLT00	800
500	0.47	X7R	2220 / 5750	5.7±0.4	5.0±0.4	2.7	1.0±0.4	1.5	KTF501B474 55NLT00	800
500	0.56	X7R	2220 / 5750	5.7±0.4	5.0±0.4	3.0	1.0±0.4	1.5	KTF501B564 55NLT00	800


 \times The square (\Box) in part numbers is replaced by a capacitance tolerance code: 'K' when ±10%, or 'M' when ±20% * Please consult with us when you consider the rating other than a standard table.

PART NUMBERING SYSTEM









Please refer to"Part Numbering System" of the beginning of a catalog for the details.

CHEMI-CON MULTILAYER CERAMIC CAPACITORS

- Always read "Notes on Use" before using the product in order to enable you to use the product correctly and prevent any faults and accidents from occurring.
- Request the Product Specification on the product of NIPPON CHEMI-CON CORPORATION to refer to it as well as this brochure prior to the order of the products. Some specific notes on use of the ordered product may be described in the specifications.
- The products listed in this catalog are designed and manufactured for general electronics equipment use and are not intended for use in applications that can adversely affect human life; where the malfunction of equipment may cause damage to life or property. In addition, our products are not intended to be used in specific applications that may cause a major social impact. Please consult with us in advance of usage of our products in the following listed applications. ① Aerospace equipment ② Power generation equipment such as thermal power, nuclear power etc. ③ Medical equipment ④ Transport equipment (automobiles, trains, ships, etc.) ⑤ Transportation control equipment ⑥ Disaster prevention / crime prevention equipment ⑦ Highly publicized information processing equipment ⑧ Submarine equipment ⑨ Other applications that are not considered general-purpose applications.
- The circuits described as examples in this catalog and the "delivery specifications" are featured in order to show the operations and usage of our products, however, this fact does not guarantee that the circuits are available to function in your equipment systems. We are not in any case responsible for any failures or damage caused by the use of information contained herein. You should examine our products, of which the characteristics are described in the "delivery specifications" and other documents, and determine whether or not our products suit your requirements according to the specifications of your equipment systems. Therefore, you bear final responsibility regarding the use of our products.

Please make sure that you take appropriate safety measures such as use of redundant design and malfunction prevention measures in order to prevent fatal accidents and/or fires in the event any of our products malfunction.

- We strongly recommend our customers to purchase Nippon Chemi-Con products only through our official sales channels. We assume no responsibility for any defects or damages caused by using products purchased from outside our official sales channel or of counterfeit goods. In addition, we will ask the customer to pay the investigation cost for products purchased outside our official sales channel.
- We reserve the right to discontinue production and delivery of products. We do not guarantee that all the products included in this catalog will be available in the future. The aforementioned does not apply in the case of individual agreements deviating from the foregoing for customer-specific products
- We continually strive to improve the quality and reliability of our products, but in any case that our product does not meet our published specifications, please stop using it promptly and contact us immediately. As for compensation for non-conforming goods delivered by Chemi-Con, we will limit it only to goods found in non-compliance of our published specifications. This may be accomplished by a no cost replacement of non-conforming individual products, a credit of the piece price paid per each individual non-conforming product, or in other ways deemed necessary.

In addition, we have an established system with enhanced traceability, therefore we will limit the applicable lot items for any potential compensation.

Product specifications in this catalog are subject to change without notice. Request our product specifications before purchase and/or use. Please use our products based on the information contained in this catalog and product specifications

Precautions and Guidelines • Recommended Soldering Conditions Part Numbering System List of Standardization and Obsoleted Products TAPING SPECIFICATION Characteristics Data Minimum Packaging Quantity